

Veritas NetBackup™ for Hadoop Administrator's Guide

UNIX, Windows, and Linux

Release 9.0

VERITAS™

Veritas Hadoop Administrator's Guide

Last updated: 2020-12-09

Legal Notice

Copyright © 2020 Veritas Technologies LLC. All rights reserved.

Veritas, the Veritas Logo, and NetBackup are trademarks or registered trademarks of Veritas Technologies LLC or its affiliates in the U.S. and other countries. Other names may be trademarks of their respective owners.

This product may contain third-party software for which Veritas is required to provide attribution to the third party ("Third-party Programs"). Some of the Third-party Programs are available under open source or free software licenses. The License Agreement accompanying the Software does not alter any rights or obligations you may have under those open source or free software licenses. Refer to the Third-party Legal Notices document accompanying this Veritas product or available at:

<https://www.veritas.com/about/legal/license-agreements>

The product described in this document is distributed under licenses restricting its use, copying, distribution, and decompilation/reverse engineering. No part of this document may be reproduced in any form by any means without prior written authorization of Veritas Technologies LLC and its licensors, if any.

THE DOCUMENTATION IS PROVIDED "AS IS" AND ALL EXPRESS OR IMPLIED CONDITIONS, REPRESENTATIONS AND WARRANTIES, INCLUDING ANY IMPLIED WARRANTY OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE OR NON-INFRINGEMENT, ARE DISCLAIMED, EXCEPT TO THE EXTENT THAT SUCH DISCLAIMERS ARE HELD TO BE LEGALLY INVALID. Veritas Technologies LLC SHALL NOT BE LIABLE FOR INCIDENTAL OR CONSEQUENTIAL DAMAGES IN CONNECTION WITH THE FURNISHING, PERFORMANCE, OR USE OF THIS DOCUMENTATION. THE INFORMATION CONTAINED IN THIS DOCUMENTATION IS SUBJECT TO CHANGE WITHOUT NOTICE.

The Licensed Software and Documentation are deemed to be commercial computer software as defined in FAR 12.212 and subject to restricted rights as defined in FAR Section 52.227-19 "Commercial Computer Software - Restricted Rights" and DFARS 227.7202, et seq. "Commercial Computer Software and Commercial Computer Software Documentation," as applicable, and any successor regulations, whether delivered by Veritas as on premises or hosted services. Any use, modification, reproduction release, performance, display or disclosure of the Licensed Software and Documentation by the U.S. Government shall be solely in accordance with the terms of this Agreement.

Veritas Technologies LLC
2625 Augustine Drive
Santa Clara, CA 95054

<http://www.veritas.com>

Technical Support

Technical Support maintains support centers globally. All support services will be delivered in accordance with your support agreement and the then-current enterprise technical support policies. For information about our support offerings and how to contact Technical Support, visit our website:

<https://www.veritas.com/support>

You can manage your Veritas account information at the following URL:

<https://my.veritas.com>

If you have questions regarding an existing support agreement, please email the support agreement administration team for your region as follows:

Worldwide (except Japan)

CustomerCare@veritas.com

Japan

CustomerCare_Japan@veritas.com

Documentation

Make sure that you have the current version of the documentation. Each document displays the date of the last update on page 2. The latest documentation is available on the Veritas website:

<https://sort.veritas.com/documents>

Documentation feedback

Your feedback is important to us. Suggest improvements or report errors or omissions to the documentation. Include the document title, document version, chapter title, and section title of the text on which you are reporting. Send feedback to:

NB.docs@veritas.com

You can also see documentation information or ask a question on the Veritas community site:

<http://www.veritas.com/community/>

Veritas Services and Operations Readiness Tools (SORT)

Veritas Services and Operations Readiness Tools (SORT) is a website that provides information and tools to automate and simplify certain time-consuming administrative tasks. Depending on the product, SORT helps you prepare for installations and upgrades, identify risks in your datacenters, and improve operational efficiency. To see what services and tools SORT provides for your product, see the data sheet:

https://sort.veritas.com/data/support/SORT_Data_Sheet.pdf

Contents

Chapter 1	Introduction	7
	Protecting Hadoop data using NetBackup	7
	Backing up Hadoop data	9
	Restoring Hadoop data	10
	NetBackup for Hadoop terminologies	11
	Limitations	13
Chapter 2	Verifying the pre-requisites and best practices for the Hadoop plug-in for NetBackup	15
	About deploying the Hadoop plug-in	15
	Pre-requisites for the Hadoop plug-in	16
	Operating system and platform compatibility	16
	NetBackup server and client requirements	16
	License for Hadoop plug-in for NetBackup	16
	Preparing the Hadoop cluster	16
	Best practices for deploying the Hadoop plug-in	17
Chapter 3	Configuring NetBackup for Hadoop	18
	About configuring NetBackup for Hadoop	18
	Managing backup hosts	19
	Whitelisting a NetBackup client on NetBackup master server	21
	Configure a NetBackup Appliance as a backup host	22
	Adding Hadoop credentials in NetBackup	22
	Configuring the Hadoop plug-in using the Hadoop configuration file	23
	Configuring NetBackup for a highly-available Hadoop cluster	24
	Configuring a custom port for the Hadoop cluster	27
	Configuring number of threads for backup hosts	28
	Configuring communication between NetBackup and Hadoop clusters that are SSL-enabled (HTTPS)	29
	Configuration for a Hadoop cluster that uses Kerberos	34
	Configuring NetBackup policies for Hadoop plug-in	35
	Creating a BigData backup policy	35

	Disaster recovery of a Hadoop cluster	40
Chapter 4	Performing backups and restores of Hadoop	42
	About backing up a Hadoop cluster	42
	Pre-requisite for running backup and restore operations for a Hadoop cluster with Kerberos authentication	43
	Best practices for backing up a Hadoop cluster	43
	Backing up a Hadoop cluster	44
	About restoring a Hadoop cluster	44
	Best practices for restoring a Hadoop cluster	45
	Restoring Hadoop data on the same Hadoop cluster	46
	Restoring Hadoop data on an alternate Hadoop cluster	49
Chapter 5	Troubleshooting	53
	About troubleshooting NetBackup for Hadoop issues	53
	About NetBackup for Hadoop debug logging	54
	Troubleshooting backup issues for Hadoop data	54
	Backup operation fails with error 6609	55
	Backup operation failed with error 6618	55
	Backup operation fails with error 6647	55
	Extended attributes (xattrs) and Access Control Lists (ACLs) are not backed up or restored for Hadoop	56
	Backup operation fails with error 6654	57
	Backup operation fails with bpbm error 8857	57
	Backup operation fails with error 6617	57
	Backup operation fails with error 6616	57
	NetBackup configuration and certificate files do not persist after the container-based NetBackup appliance restarts	58
	Unable to see incremental backup images during restore even though the images are seen in the backup image selection	59
	One of the child backup jobs goes in a queued state	59
	Troubleshooting restore issues for Hadoop data	59
	Restore fails with error code 2850	60
	NetBackup restore job for Hadoop completes partially	60
	Extended attributes (xattrs) and Access Control Lists (ACLs) are not backed up or restored for Hadoop	60
	Restore operation fails when Hadoop plug-in files are missing on the backup host	60
	Restore fails with bpbm error 54932	61
	Restore operation fails with bpbm error 21296	61
	Configuration file is not recovered after a disaster recovery	61

Index 63

Introduction

This chapter includes the following topics:


- [Protecting Hadoop data using NetBackup](#)
- [Backing up Hadoop data](#)
- [Restoring Hadoop data](#)
- [NetBackup for Hadoop terminologies](#)
- [Limitations](#)

Protecting Hadoop data using NetBackup

Using the NetBackup Parallel Streaming Framework (PSF), Hadoop data can now be protected using NetBackup.

The following diagram provides an overview of how Hadoop data is protected by NetBackup.

Also, review the definitions of terminologies. See "[NetBackup for Hadoop terminologies](#)" on page 11.

Figure 1-1 Architectural overview

As illustrated in the diagram:

- The data is backed up in parallel streams wherein the DataNodes stream data blocks simultaneously to multiple backup hosts. The job processing is accelerated due to multiple backup hosts and parallel streams.
- The communication between the Hadoop cluster and the NetBackup is enabled using the NetBackup plug-in for Hadoop. The plug-in is installed as part of the NetBackup installation.
- For NetBackup communication, you need to configure a BigData policy and add the related backup hosts.
- You can configure a NetBackup media server, client, or master server as a backup host. Also, depending on the number of DataNodes, you can add or remove backup hosts. You can scale up your environment easily by adding more backup hosts.
- The NetBackup Parallel Streaming Framework enables agentless backup wherein the backup and restore operations run on the backup hosts. There is no agent footprint on the cluster nodes. Also, NetBackup is not affected by the Hadoop cluster upgrades or maintenance.

For more information:

- See [“Backing up Hadoop data”](#) on page 9.

- See “[Restoring Hadoop data](#)” on page 10.
- See “[Limitations](#)” on page 13.
- For information about the NetBackup Parallel Streaming Framework (PSF) refer to the *NetBackup Administrator's Guide, Volume I*.


Backing up Hadoop data

Hadoop data is backed up in parallel streams wherein Hadoop DataNodes stream data blocks simultaneously to multiple backup hosts.

Note: All the directories specified in Hadoop backup selection must be snapshot-enabled before the backup.

The following diagram provides an overview of the backup flow:

Figure 1-2 Backup flow



As illustrated in the following diagram:

1. A scheduled backup job is triggered from the master server.
2. Backup job for Hadoop data is a compound job. When the backup job is triggered, first a discovery job is run.

3. During discovery, the first backup host connects with the NameNode and performs a discovery to get details of data that needs to be backed up.
4. A workload discovery file is created on the backup host. The workload discovery file contains the details of the data that needs to be backed up from the different DataNodes.
5. The backup host uses the workload discovery file and decides how the workload is distributed amongst the backup hosts. Workload distribution files are created for each backup host.
6. Individual child jobs are executed for each backup host. As specified in the workload distribution files, data is backed up.
7. Data blocks are streamed simultaneously from different DataNodes to multiple backup hosts.


The compound backup job is not completed until all the child jobs are completed. After the child jobs are completed, NetBackup cleans all the snapshots from the NameNode. Only after the cleanup activity is completed, the compound backup job is completed.

See [“About backing up a Hadoop cluster”](#) on page 42.

Restoring Hadoop data

For restore only one backup host is used.

The following diagram provides an overview of the restore flow.

Figure 1-3 Restore flow

As illustrated in the diagram:

1. The restore job is triggered from the master server.
2. The backup host connects with the NameNode. Backup host is also the destination client.
3. The actual data restore from the storage media starts.
4. The data blocks are restored on the DataNodes.

See [“About restoring a Hadoop cluster”](#) on page 44.

NetBackup for Hadoop terminologies

The following table defines the terms you will come across when using NetBackup for protecting Hadoop cluster.

Table 1-1 NetBackup terminologies

Terminology	Definition
Compound job	<p>A backup job for Hadoop data is a compound job.</p> <ul style="list-style-type: none">■ The backup job runs a discovery job for getting information of the data to be backed up.■ Child jobs are created for each backup host that performs the actual data transfer.■ After the backup is complete, the job cleans up the snapshots on the NameNode and is then marked complete.
Discovery job	<p>When a backup job is executed, first a discovery job is created. The discovery job communicates with the NameNode and gathers information of the block that needs to be backed up and the associated DataNodes. At the end of the discovery, the job populates a workload discovery file that NetBackup then uses to distribute the workload amongst the backup hosts.</p>
Child job	<p>For backup, a separate child job is created for each backup host to transfer data to the storage media. A child job can transfer data blocks from multiple DataNodes.</p>
Workload discovery file	<p>During discovery, when the backup host communicates with the NameNode, a workload discovery file is created. The file contains information about the data blocks to be backed up and the associated DataNodes.</p>
Workload distribution file	<p>After the discovery is complete, NetBackup creates a workload distribution file for each backup host. These files contain information of the data that is transferred by the respective backup host.</p>
Parallel streams	<p>The NetBackup parallel streaming framework allows data blocks from multiple DataNodes to be backed up using multiple backup hosts simultaneously.</p>
Backup host	<p>The backup host acts as a proxy client. All the backup and restore operations are executed through the backup host.</p> <p>You can configure media servers, clients, or a master server as a backup host.</p> <p>The backup host is also used as destination client during restores.</p>

Table 1-1 NetBackup terminologies (*continued*)

Terminology	Definition
BigData policy	The BigData policy is introduced to: <ul style="list-style-type: none"> ■ Specify the application type. ■ Allow backing up distributed multi-node environments. ■ Associate backup hosts. ■ Perform workload distribution.
Application server	Namenode is referred to as a application server in NetBackup.
Primary NameNode	In a high-availability scenario, you need to specify one NameNode with the BigData policy and with the <code>tpconfig</code> command. This NameNode is referred as the primary NameNode.
Fail-over NameNode	In a high-availability scenario, the NameNodes other than the primary NameNode that are updated in the <code>hadoop.conf</code> file are referred as fail-over NameNodes.

Table 1-2 Hadoop terminologies

Terminology	Definition
NameNode	NameNode is also used as a source client during restores.
DataNode	DataNode is responsible for storing the actual data in Hadoop.
Snapshot-enabled directories (snapshottable)	Snapshots can be taken on any directory once the directory is snapshot-enabled. <ul style="list-style-type: none"> ■ Each snapshot-enabled directory can accommodate 65,536 simultaneous snapshots. There is no limit on the number of snapshot-enabled directories. ■ Administrators can set any directory to be snapshot-enabled. ■ If there are snapshots in a snapshot-enabled directory, it cannot be deleted or renamed before all the snapshots are deleted. ■ A directory cannot be snapshot-enabled if one of its ancestors or descendants is a snapshot-enabled directory.

Limitations

Review the following limitations before you deploy the Hadoop plug-in:

- Only RHEL and SUSE platforms are supported for Hadoop clusters and backup hosts.

- Delegation Token authentication method is not supported for Hadoop clusters.
- Hadoop plug-in does not capture Extended Attributes (xattrs) or Access Control Lists (ACLs) of an object during backup and hence these are not set on the restored files or folders.
- For highly available Hadoop cluster, if fail-over happens during a backup or restore operation, the job fails.
- If you cancel a backup job manually while the discovery job for a backup operation is in progress, the snapshot entry does not get removed from the Hadoop web graphical user interface (GUI).
- If the CRL expires during the backup of an HTTPS-based Hadoop cluster, the backup runs partially.
- If you have multiple CRL-based Hadoop clusters, ensure that you add different backup hosts for every cluster.

Verifying the pre-requisites and best practices for the Hadoop plug-in for NetBackup

This chapter includes the following topics:

- [About deploying the Hadoop plug-in](#)
- [Pre-requisites for the Hadoop plug-in](#)
- [Preparing the Hadoop cluster](#)
- [Best practices for deploying the Hadoop plug-in](#)

About deploying the Hadoop plug-in

The Hadoop plug-in is installed with NetBackup. Review the following topics to complete the deployment.

Table 2-1 Deploying the Hadoop plug-in

Task	Reference
Pre-requisites and requirements	See “Pre-requisites for the Hadoop plug-in” on page 16.
Preparing the Hadoop cluster	See “Preparing the Hadoop cluster” on page 16.

Table 2-1 Deploying the Hadoop plug-in (*continued*)

Task	Reference
Best practices	See “Best practices for deploying the Hadoop plug-in” on page 17.
Verifying the deployment	
Configuring	See “About configuring NetBackup for Hadoop” on page 18.

Pre-requisites for the Hadoop plug-in

Ensure that the following pre-requisites are met before you use the Hadoop plug-in:

- See [“Operating system and platform compatibility”](#) on page 16.
- See [“License for Hadoop plug-in for NetBackup”](#) on page 16.

Operating system and platform compatibility

With this release, RHEL and SUSE platforms are supported for Hadoop clusters and NetBackup backup hosts.

For more information, see the [NetBackup Master Compatibility List](#).

NetBackup server and client requirements

Verify that the following requirements are met for the NetBackup server:

License for Hadoop plug-in for NetBackup

Backup and restore operations using the Hadoop plug-in for NetBackup, require the Application and Database pack license.

More information is available on how to add licenses.

See the [NetBackup Administrator’s Guide, Volume I](#)

Preparing the Hadoop cluster

Perform the following tasks to prepare the Hadoop cluster for NetBackup:

- Ensure that the Hadoop directory is snapshot-enabled.
 To make a directory snapshottable, run the following command on the NameNodes:

```
hdfs dfsadmin -allowSnapshot directory_name
```

Note: A directory cannot be snapshot-enabled if one of its ancestors or descendants is a snapshot-enabled directory.

For more information, refer to the Hadoop documentation.

- Update firewall settings (ensure that the correct port is added along with the Hadoop credentials) so that the backup hosts can communicate with the Hadoop cluster.
- Add the entries of all the NameNodes and DataNodes to the `/etc/hosts` file on all the backup hosts. You must add the hostname in FQDN format.
Or
Add the appropriate DNS entries in the `/etc/resolv.conf` file.
- Ensure that `webhdfs` service is enabled on the Hadoop cluster.

Best practices for deploying the Hadoop plug-in

Consider the following when you deploy Hadoop plug-in and configure NetBackup for Hadoop:

- Use consistent conventions for hostnames of backup hosts, media servers, and master server. For example, if you are using the hostname as **hadoop.veritas.com** (FQDN format) use the same everywhere.
- Add the entries of all the NameNodes and DataNodes to the `/etc/hosts` file on all the backup hosts. You must add the hostname in FQDN format.
Or
Add the appropriate DNS entries in the `/etc/resolv.conf` file.
- Always specify the NameNode and DataNodes in FQDN format.
- Ping all the nodes (use FQDN) from the backup hosts.
- Hostname and port of the NameNode must be same as you have specified with the `http` address parameter in the `core-site.xml` of the Hadoop cluster.
- Ensure the following for a Hadoop cluster that is enabled with SSL (HTTPS):
 - A valid certificate exists on the backup host that contains the public keys from all the nodes of the Hadoop cluster.
 - For a Hadoop cluster that uses CRL, ensure that the CRL is valid and not expired.

Configuring NetBackup for Hadoop

This chapter includes the following topics:

- [About configuring NetBackup for Hadoop](#)
- [Managing backup hosts](#)
- [Adding Hadoop credentials in NetBackup](#)
- [Configuring the Hadoop plug-in using the Hadoop configuration file](#)
- [Configuration for a Hadoop cluster that uses Kerberos](#)
- [Configuring NetBackup policies for Hadoop plug-in](#)
- [Disaster recovery of a Hadoop cluster](#)

About configuring NetBackup for Hadoop

Table 3-1 Configuring NetBackup for Hadoop

Task	Reference
Adding backup hosts	See “Managing backup hosts” on page 19. If you want to use NetBackup client as a backup host, you need to whitelist the NetBackup client on the master server. See “Whitelisting a NetBackup client on NetBackup master server” on page 21.

Table 3-1 Configuring NetBackup for Hadoop (*continued*)

Task	Reference
Adding Hadoop credentials in NetBackup	See “Adding Hadoop credentials in NetBackup” on page 22.
Configuring the Hadoop plug-in using the Hadoop configuration file	See “Configuring the Hadoop plug-in using the Hadoop configuration file” on page 23. See “Configuring NetBackup for a highly-available Hadoop cluster” on page 24. See “Configuring number of threads for backup hosts” on page 28.
Configuring the backup hosts for Hadoop clusters that use Kerberos	See “Configuration for a Hadoop cluster that uses Kerberos” on page 34.
Configuring NetBackup policies for Hadoop plug-in	See “Configuring NetBackup policies for Hadoop plug-in” on page 35.

Managing backup hosts

A backup host acts as a proxy client which hosts all the backup and restore operations for Hadoop clusters. In case of Hadoop plug-in for NetBackup, backup host performs all the backup and restore operations without any separate agent installed on the Hadoop cluster.

The backup host must be a Linux computer. NetBackup 9.0 release supports only RHEL and SUSE platforms as a backup host.

The backup host can be a NetBackup client or a media server or a master server. Veritas recommends that you have media server as a backup host.

Consider the following before adding a backup host:

- For backup operations, you can add one or more backup hosts.
- For restore operations, you can add only one backup host.
- A master, media, or client can perform the role of a backup host.
- Hadoop plug-in for NetBackup is installed on all the backup hosts.

You can add a backup host while configuring BigData policy using either the NetBackup Administration Console or Command Line Interface.


For more information on how to create a policy, see See [“Creating a BigData backup policy”](#) on page 35.

To add a backup host

- 1 In the **Backup Selections** tab, click **New** and add the backup host in the following format:

Backup_Host=<IP_address or hostname>

For more information on how to create a policy, See [“Creating a BigData backup policy”](#) on page 35.



Alternatively, you can also add a backup host using the following command:

For Windows:

```
<Install_Path>\NetBackup\bin\admincmd\bpplinclude PolicyName -add  
"Backup_Host=IP_address or hostname"
```

For UNIX:

```
/usr/opensv/var/global/bin/admincmd/bpplinclude PolicyName -add  
"Backup_Host=IP_address or hostname"
```

For more information, See [“Using NetBackup Command Line Interface \(CLI\) to create a BigData policy for Hadoop clusters”](#) on page 38.

- 2 As a best practice, add the entries of all the NameNodes and DataNodes to the `/etc/hosts` file on all the backup hosts. You must add the host name in FQDN format.

OR

Add the appropriate DNS entries in the `/etc/resolv.conf` file.

To remove a backup host

- 1 In the **Backup Selections** tab, select the backup host that you want to remove.
- 2 Right click the selected backup host and click **Delete**.

Alternatively, you can also remove a backup host using the following command:

For Windows:

```
<Install_Path>\NetBackup\bin\admincmd\bpplinclude PolicyName  
-delete "Backup_Host=IP_address or hostname"
```

For UNIX:

```
/usr/openv/var/global/bin/admincmd/bpplinclude PolicyName -delete  
'Backup_Host=IP_address or hostname'
```

Whitelisting a NetBackup client on NetBackup master server

To use the NetBackup client as a backup host, you must whitelist it. Perform the Whitelisting procedure on the NetBackup master server .

Whitelisting is a security practice used for restricting systems from running software or applications unless these have been approved for safe execution.

To Whitelist a NetBackup client on NetBackup master server

- ◆ Run the following command on the NetBackup master server:

- For UNIX

The directory path to the command:

```
/usr/openv/var/global/bin/admincmd/bpsetconfig  
bpsetconfig -h masterserver  
bpsetconfig> APP_PROXY_SERVER = clientname.domain.org  
bpsetconfig>  
UNIX systems: <ctl-D>
```

- For Windows

The directory path to the command:

```
<Install_Path>\NetBackup\bin\admincmd\bpsetconfig  
bpsetconfig -h masterserver  
bpsetconfig> APP_PROXY_SERVER = clientname1.domain.org  
bpsetconfig> APP_PROXY_SERVER = clientname2.domain.org  
bpsetconfig>  
Windows systems: <ctl-Z>
```

This command sets the `APP_PROXY_SERVER = clientname` entry in the backup configuration (bp.conf) file.

For more information about the `APP_PROXY_SERVER = clientname`, refer to the *Configuration options for NetBackup clients* section in *NetBackup Administrator's Guide, Volume I*

[Veritas NetBackup Documentation](#)

Configure a NetBackup Appliance as a backup host

Review the following articles if you want to use NetBackup Appliance as a backup host:

- Using NetBackup Appliance as the backup host of Hadoop with Kerberos authentication
For details, contact Veritas Technical Support and have the representative refer to article 100039992.
- Using NetBackup Appliance as the backup host with highly-available Hadoop cluster
For details, contact Veritas Technical Support and have the representative refer to article 100039990.

Adding Hadoop credentials in NetBackup

To establish a seamless communication between Hadoop clusters and NetBackup for successful backup and restore operations, you must add and update Hadoop credentials to the NetBackup master server.

Use the `tpconfig` command to add Hadoop credentials in NetBackup master server.

For information on parameters to delete and update the credentials using the `tpconfig` command, see the [NetBackup Commands Reference Guide](#).

Consider the following when you add Hadoop credentials:

- For a highly-available Hadoop cluster, ensure that the user for the primary and fail-over NameNode is the same.
- Use the credentials of the application server that you will use when configuring the BigData policy.
- For a Hadoop cluster that uses Kerberos, specify "**kerberos**" as `application_server_user_id` value.
- Hostname and port of the NameNode must be same as you have specified with the `http address` parameter in the `core-site.xml` of the Hadoop cluster.
- For password, provide any random value. For example, Hadoop.

To add Hadoop credentials in NetBackup

- 1 Run `tpconfig` command from the following directory paths:
 On UNIX systems, `/usr/opensv/volmgr/bin/`
 On Windows systems, `install_path\Volmgr\bin\`
- 2 Run the `tpconfig --help` command. A list of options which are required to add, update, and delete Hadoop credentials is displayed.
- 3 Run the `tpconfig -add -application_server application_server_name -application_server_user_id user_ID -application_type application_type -requiredport IP_port_number [-password password [-key encryption_key]]` command by providing appropriate values for each parameter to add Hadoop credentials.

For example, if you want to add credentials for Hadoop server which has *application_server_name* as *hadoop1*, then run the following command using the appropriate *<user_ID>* and *<password>* details.

```
tpconfig -add -application_server hadoop1 -application_type hadoop
-application_server_user_id Hadoop -requiredport 50070 -password
Hadoop
```

Here, the value `hadoop` specified for `-application_type` parameter corresponds to Hadoop.

- 4 Run the `tpconfig -dappservers` command to verify if the NetBackup master server has the Hadoop credentials added.

Configuring the Hadoop plug-in using the Hadoop configuration file

The backup hosts use the `hadoop.conf` file to save the configuration settings of the Hadoop plug-in. You need to create a separate file for each backup host and copy it to the `/usr/opensv/var/global/`. You need to manually create the `hadoop.conf` file in JSON format. This file is not available by default with the installer.

Note: You must not provide a blank value for any of the parameters, or the backup job fails.

Ensure that you configure all the required parameters to run the backup and restore operations successfully.

With this release, the following plug-in settings can be configured:

- See “[Configuring NetBackup for a highly-available Hadoop cluster](#)” on page 24.
- See “[Configuring a custom port for the Hadoop cluster](#)” on page 27.
- See “[Configuring number of threads for backup hosts](#)” on page 28.
- See “[Configuring communication between NetBackup and Hadoop clusters that are SSL-enabled \(HTTPS\)](#)” on page 29.

Following is an example of the `hadoop.conf` file.

Note: For non-HA environment, the fail-over parameters are not required.

```
{
  "application_servers":
  {
    "hostname_of_the_primary_namenode":
    {
      "failover_namenodes":
      [
        {
          "hostname": "hostname_of_failover_namenode",
          "port": port_of_the_failover_namenode
        }
      ],
      "port": port_of_the_primary_namenode
    }
  },
  "number_of_threads": number_of_threads
}
```

Configuring NetBackup for a highly-available Hadoop cluster

To protect a highly-available Hadoop cluster, when you configure NetBackup for Hadoop cluster:

- Specify one of the NameNodes (primary) as the client in the BigData policy.
- Specify the same NameNode (primary and fail-over) as application server when you execute the `tpconfig` command.
- Create a `hadoop.conf` file, update it with the details of the NameNodes (primary and fail-over), and copy it to all the backup hosts. The `hadoop.conf` file is in JSON format.

- Hostname and port of the NameNode must be same as you have specified with the http address parameter in the `core-site.xml` of the Hadoop cluster.
- User name of the primary and fail-over NameNode must be same.
- Do not provide a blank value for any of the parameters, or the backup job fails.

To update the `hadoop.conf` file for highly-available Hadoop cluster

- 1 Update the `hadoop.conf` file with the following parameters:

```
{
  "application_servers":
  {
    "hostname_of_primary_namenode1":
    {
      "failover_namenodes":
      [
        {
          "hostname": "hostname_of_failover_namenode1",
          "port": port_of_failover_namenode1
        }
      ],
      "port":port_of_primary_namenode1
    }
  }
}
```

- 2 If you have multiple Hadoop clusters, use the same `hadoop.conf` file to update the details. For example,

```
{
  "application_servers":
  {
    "hostname_of_primary_namenode1":
    {
      "failover_namenodes":
      [
        {
          "hostname": "hostname_of_failover_namenode1",
          "port": port_of_failover_namenode1
        }
      ],
      "port": port_of_primary_namenode1
    },
    "hostname_of_primary_namenode2":
    {
      "failover_namenodes":
      [
        {
          "hostname": "hostname_of_failover_namenode2",
          "port": port_of_failover_namenode2
        }
      ],
      "port": port_of_primary_namenode2
    }
  }
}
```

- 3 Copy this file to the following location on all the backup hosts:

```
/usr/opensv/var/global/
```

Configuring a custom port for the Hadoop cluster

You can configure a custom port using the Hadoop configuration file. By default, NetBackup uses port 50070.

To configure a custom port for the Hadoop cluster

- 1 Update `hadoop.conf` file with the following parameters:

```
{
  "application_servers": {
    "hostname_of_namenode1":{

      "port":port_of_namenode1
    }
  }
}
```

- 2 Copy this file to the following location on all the backup hosts:

```
/usr/opensv/var/global/
```

Configuring number of threads for backup hosts

To enhance to the backup performance, you can configure the number of threads (streams) that each backup host can allow. You can improve the backup performance either by adding more number of backup hosts or by increasing the number of threads per backup host.

To decide the number threads consider the following:

- The default value is 4.
- You can set minimum 1 and maximum 32 threads for each backup host.
- Each backup host can have different number of threads configured.
- When you configure the number of threads, consider the number of cores that are available and the number of cores you want to use. As a best practice, you should configure 1 thread per core. For example, if 8 cores are available and you want to use 4 cores, configure 4 threads.

To update the `hadoop.conf` file for configuring number of threads

- 1 Update the `hadoop.conf` file with the following parameters:

```
{
  "number_of_threads": number_of_threads
}
```

- 2 Copy this file to the following location on the backup host:

```
/usr/opensv/var/global/
```

Configuring communication between NetBackup and Hadoop clusters that are SSL-enabled (HTTPS)

To enable communication between NetBackup and Hadoop clusters that are SSL-enabled (HTTPS), complete the following steps:

- Update the `hadoop.conf` file that is located in the `/usr/opensv/var/global/` directory on the backup host using the `use_ssl` parameter in the following format:

```
{
  "application_servers":
  {
    "hostname_of_namenode1":
    {
      "use_ssl":true
    }
  }
}
```

Configuration file format for SSL and HA:

```
{
  "application_servers":
  {
    "primary.host.com":
    {
      "use_ssl":true,
      "failover_namenodes":
      [
        {
          "hostname":"secondary.host.com",
          "use_ssl":true,
          "port":11111
        }
      ]
    }
  }
}
```

By default, the value is set to `false`.

If you use multiple backup hosts, the backup host in that has defined the `use_ssl` parameter in the `hadoop.conf` file is used for communication.

You must define the `use_ssl` parameter in the `hadoop.conf` file for every Hadoop cluster.

- Use the `nbsetconfig` command to configure the following NetBackup configuration options on the access host:
 For more information on the configuration options, refer to the *NetBackup Administrator's Guide*.

<code>ECA_TRUST_STORE_PATH</code>	<p>Specifies the file path to the certificate bundle file that contains all trusted root CA certificates.</p> <p>If you have already configured this external CA option, append the Hadoop CA certificates to the existing external certificate trust store.</p> <p>If you have not configured the option, add all the required Hadoop server CA certificates to the trust store and set the option.</p> <p>See “ECA_TRUST_STORE_PATH for NetBackup servers and clients” on page 31.</p>
<code>ECA_CRL_PATH</code>	<p>Specifies the path to the directory where the certificate revocation lists (CRL) of the external CA are located.</p> <p>If you have already configured this external CA option, append the Hadoop server CRLs to the CRL cache.</p> <p>If you have not configured the option, add all the required CRLs to the CRL cache and then set the option.</p> <p>See “ECA_CRL_PATH for NetBackup servers and clients” on page 31.</p>
<code>HADOOP_SECURE_CONNECT_ENABLED</code>	<p>This option affects Hadoop secure communication.</p> <p>Set this value to <code>YES</code> when you have set the <code>use_ssl</code> as <code>true</code> in the <code>hadoop.conf</code> file. The single value is applicable to all Hadoop clusters when <code>use_ssl</code> is set to <code>true</code>.</p> <p>For Hadoop, secure communication is enabled by default.</p> <p>This option lets you skip the security certificate validation.</p> <p>See “HADOOP_SECURE_CONNECT_ENABLED for servers and clients” on page 32.</p>
<code>HADOOP_CRL_CHECK</code>	<p>Lets you validate the revocation status of the Hadoop server certificate against the CRLs.</p> <p>The single value is applicable to all Hadoop clusters when <code>use_ssl</code> is set to <code>true</code>.</p> <p>By default, the option is disabled.</p> <p>See “HADOOP_CRL_CHECK for NetBackup servers and clients” on page 33.</p>

ECA_TRUST_STORE_PATH for NetBackup servers and clients

The `ECA_TRUST_STORE_PATH` option specifies the file path to the certificate bundle file that contains all trusted root CA certificates.

This certificate file should have one or more certificates in PEM format.

Do not specify the `ECA_TRUST_STORE_PATH` option if you use the Windows certificate store.

The trust store supports certificates in the following formats:

- PKCS #7 or P7B file having certificates of the trusted root certificate authorities that are bundled together. This file may either be PEM or DER encoded.
- A file containing the PEM encoded certificates of the trusted root certificate authorities that are concatenated together.

This option is mandatory for file-based certificates.

Table 3-2 `ECA_TRUST_STORE_PATH` information

Usage	Description
Where to use	On NetBackup servers or clients.
How to use	<p>Use the <code>nbgetconfig</code> and the <code>nbsetconfig</code> commands to view, add, or change the option.</p> <p>For information about these commands, see the NetBackup Commands Reference Guide.</p> <p>Use the following format:</p> <pre>ECA_TRUST_STORE_PATH = Path to the external CA certificate</pre> <p>For example: <code>c:\rootCA.pem</code></p>
Equivalent Administration Console property	No equivalent exists in the NetBackup Administration Console host properties.

ECA_CRL_PATH for NetBackup servers and clients

The `ECA_CRL_PATH` option specifies the path to the directory where the Certificate Revocation Lists (CRL) of the external certificate authority (CA) are located.

These CRLs are copied to NetBackup CRL cache. Revocation status of the external certificate is validated against the CRLs from the CRL cache.

CRLs in the CRL cache are periodically updated with the CRLs in the directory that is specified for `ECA_CRL_PATH` based on the `ECA_CRL_PATH_SYNC_HOURS` option.

If the `ECA_CRL_CHECK` or `HADOOP_CRL_CHECK` option is not set to `DISABLE` (or 0) and the `ECA_CRL_PATH` option is not specified, NetBackup downloads the CRLs from the URLs that are specified in the CRL distribution point (CDP) and uses them to verify revocation status of the peer host's certificate.

Note: For validating the revocation status of a virtualization server certificate, the `VIRTUALIZATION_CRL_CHECK` option is used.

For validating the revocation status of a Hadoop server certificate, the `HADOOP_CRL_CHECK` option is used.

Table 3-3 `ECA_CRL_PATH` information

Usage	Description
Where to use	On NetBackup servers or clients. If certificate validation is required for VMware, RHV servers, Nutanix AHV, or Hadoop, this option must be set on the NetBackup master server and respective access or backup hosts, irrespective of the certificate authority that NetBackup uses for host communication (NetBackup CA or external CA).
How to use	Use the <code>nbgetconfig</code> and the <code>nbsetconfig</code> commands to view, add, or change the option. For information about these commands, see the NetBackup Commands Reference Guide . Use the following format to specify a path to the CRL directory: <code>ECA_CRL_PATH = Path to the CRL directory</code>
Equivalent Administration Console property	No equivalent exists in the NetBackup Administration Console host properties.

HADOOP_SECURE_CONNECT_ENABLED for servers and clients

The `HADOOP_SECURE_CONNECT_ENABLED` option enables the validation of Hadoop server certificates using its root or intermediate certificate authority (CA) certificates.

Table 3-4 HADOOP_SECURE_CONNECT_ENABLED information

Usage	Description
Where to use	On all backup hosts.
How to use	<p>Use the <code>nbgetconfig</code> and the <code>nbsetconfig</code> commands to view, add, or change the option.</p> <p>For information about these commands, see the NetBackup Commands Reference Guide.</p> <p>By default, the <code>HADOOP_SECURE_CONNECT_ENABLED</code> is set to <code>YES</code>.</p> <p>Use the following format to enable certificate validation for Hadoop:</p> <pre>HADOOP_SECURE_CONNECT_ENABLED = YES</pre>
Equivalent Administration Console property	No equivalent exists in the NetBackup Administration Console host properties.

HADOOP_CRL_CHECK for NetBackup servers and clients

The `HADOOP_CRL_CHECK` option lets you specify the revocation check level for external certificates of the Hadoop server. Based on the check, revocation status of the Hadoop server certificate is validated against the certificate revocation list (CRL) during host communication.

By default, the `HADOOP_CRL_CHECK` option is disabled. If you want to validate the revocation status of the Hadoop server certificate against certificate revocation list (CRL), set the option to a different value.

You can choose to use the CRLs from the directory that is specified for the `ECA_CRL_PATH` configuration option or the CRL distribution point (CDP).

See “[ECA_CRL_PATH for NetBackup servers and clients](#)” on page 31.

Table 3-5 HADOOP_CRL_CHECK information

Usage	Description
Where to use	On all backup hosts.

Table 3-5 HADOOP_CRL_CHECK information (*continued*)

Usage	Description
How to use	<p>Use the <code>nbgetconfig</code> and the <code>nbsetconfig</code> commands to view, add, or change the option.</p> <p>For information about these commands, see the NetBackup Commands Reference Guide.</p> <p>Use the following format:</p> <pre>HADOOP_CRL_CHECK = CRL check</pre> <p>You can specify one of the following:</p> <ul style="list-style-type: none"> ■ DISABLE (or 0) - Revocation check is disabled. Revocation status of the certificate is not validated against the CRL during host communication. This is the default value. ■ LEAF (or 1) - Revocation status of the leaf certificate is validated against the CRL. ■ CHAIN (or 2) - Revocation status of all certificates from the certificate chain are validated against the CRL.
Equivalent Administration Console property	No equivalent exists in the NetBackup Administration Console host properties.

Example values for the parameters in the `bp.conf` file

Here is an example of values added in the `bp.conf` file for a CRL-based Hadoop cluster that has SSL enabled (HTTPS):

```
ECA_TRUST_STORE_PATH=/tmp/cacert.pem
ECA_CRL_PATH=/tmp/backuphostdirectory
HADOOP_SECURE_CONNECT_ENABLED=YES/NO
HADOOP_CRL_CHECK=DISABLE / LEAF / CHAIN
```

Configuration for a Hadoop cluster that uses Kerberos

For a Hadoop cluster that uses Kerberos, perform the following tasks on all the backup hosts:

- Ensure that the Kerberos package is present on all the backup hosts.
 - `krb5-workstation` package for RHEL
 - `krb5-client` for SUSE

- Acquire the `keytab` file and copy it to a secure location on the backup host.
- Ensure that the `keytab` has the required principal.
- Manually update the `krb5.conf` file with the appropriate KDC server and realm details.

Note: Ensure that `default_ccache_name` parameter is not set to the **KEYRING:persistent:%{uid}** value. You can comment the parameter to use the default or you can specify a file name such as, **FILE:/tmp/krb_file_name:%{uid}**.

- When you add Hadoop credentials in NetBackup, specify "**kerberos**" as `application_server_user_id` value. See [“Adding Hadoop credentials in NetBackup”](#) on page 22.
- To run backup and restore operations for a Hadoop cluster that uses Kerberos authentication, Hadoop needs a valid Kerberos ticket-granting ticket (TGT) to authenticate with the Hadoop cluster. See [“Pre-requisite for running backup and restore operations for a Hadoop cluster with Kerberos authentication”](#) on page 43.
- To use Kerberos, the user must be a super user with full access and ownership of the HDFS. A valid token is required with the user on the backup host.

Configuring NetBackup policies for Hadoop plug-in

Backup policies provide the instructions that NetBackup follows to back up clients. For configuring backup policies for Hadoop plug-in for NetBackup, use the **BigData** policy as the **Policy Type**.

You can create **BigData** policy using either the **NetBackup Administration Console** or the **Command Line Interface**.

Note: Hostname and port of the NameNode must be same as you have specified with the `http address` parameter in the `core-site.xml` of the Hadoop cluster.

For more information on how to create a BigData policy, See [“Creating a BigData backup policy”](#) on page 35.

Creating a BigData backup policy

Use the BigData policy to backup big data applications such as Hadoop clusters.

A BigData policy differs from other policies in the following respects:

- You must specify **BigData** as the policy type.
- The entries which are provided in the **Clients** tab and the **Backup Selections** differ based on the application that you want to back up.
- In the **Backup Selections** tab, you must specify certain parameters and their appropriate values.

Creating BigData policy using the NetBackup Administration Console

If you prefer using the **NetBackup Administration Console** for creating BigData policy, you can use either of the following methods:

- Creating a BigData policy using the **Policy Configuration Wizard**
- Creating a BigData policy using the NetBackup **Policies** utility

The easiest method to set up a **BigData** policy is to use the **Policy Configuration Wizard**. This wizard guides you through the setup process by automatically choosing the best values for most configurations. Not all policy configuration options are presented through the wizard. For example, **calendar-based** scheduling and the **Data Classification** setting. After the policy is created, modify the policy in the Policies utility to configure the options that are not part of the wizard.

Using the Policy Configuration Wizard to create a BigData policy for Hadoop clusters

Use the following procedure to create a BigData policy with the Policy Configuration Wizard.

To create a BigData policy with the Policy Configuration Wizard

- 1 In the **NetBackup Administration Console**, in the left pane, click **NetBackup Management**.
- 2 In the right pane, click **Create a Policy** to begin the **Policy Configuration Wizard**.
- 3 Select the type of policy to create:
 - **BigData** policy : A policy to backup **Hadoop** data
- 4 Select the storage unit type for BigData policy.
- 5 Click **Next** to start the wizard and follow the prompts.
Click **Help** on any wizard panel for assistance while running the wizard.

Using the NetBackup Policies utility to create a BigData policy for Hadoop clusters

Use the following procedure to create a BigData policy with the NetBackup Policies utility.

To create a BigData policy with the NetBackup Policies utility

- 1 In the **NetBackup Administration Console**, in the left pane, expand **NetBackup Management > Policies**.
- 2 On the **Actions** menu, click **New > Policy**.
- 3 Type a unique name for the new policy in the **Add a New Policy** dialog box. Click **OK**.
- 4 On the **Attributes** tab, select **BigData** as the policy type.
- 5 On the **Attributes** tab, select the storage unit for BigData policy type.
- 6 On the **Schedules** tab, click **New** to create a new schedule.

You can create a schedule for a **Full Backup**, **Differential Incremental Backup**, or **Cumulative Incremental Backup** for your BigData policy. Once you set the schedule, Hadoop data is backed up automatically as per the set schedule without any further user intervention.

- 7 On the **Clients** tab, enter the IP address or the host name of the NameNode.
- 8 On the **Backup Selections** tab, enter the following parameters and their values as shown:
 - *Application_Type=hadoop*
The parameter values are case-sensitive.
 - *Backup_Host=IP_address or hostname*
The backup host must be a Linux computer. The backup host can be a NetBackup client or a media server.
You can specify multiple backup hosts.
 - File path or the directory to back up
You can specify multiple file paths.

Note: The directory or folder specified for backup selection while defining BigData Policy with Application_Type=hadoop must not contain space or comma in their names.

- 9 Click **OK** to save the changes.

For more information on using NetBackup for big data applications, refer to the [Veritas NetBackup documentation](#) page.

Using NetBackup Command Line Interface (CLI) to create a BigData policy for Hadoop clusters

You can also use the CLI method to create a BigData policy for Hadoop.

To create a BigData policy using NetBackup CLI method

1 Log on as an Administrator.

2 Navigate to:

For Windows:<install_path>\NetBackup\bin\admincmd

For UNIX:/usr/opensv/var/global/bin/admincmd

3 Create a new BigData policy using the default settings.

```
bpolicynew policyname
```

4 View the details about the new policy using the `-L` option.

```
bpplinfo policyname -L
```

5 Modify and update the policy type as **BigData**.

```
bpplinfo PolicyName -modify -v -M MasterServerName -pt BigData
```

6 Specify the *Application_Type* as Hadoop.

For Windows:

```
bpplinclude PolicyName -add "Application_Type=hadoop"
```

For UNIX:

```
bpplinclude PolicyName -add 'Application_Type=hadoop'
```

Note: The parameter values for *Application_Type=hadoop* are case-sensitive.

- 7** Specify the backup host on which you want the backup operations to be performed for Hadoop.

For Windows:

```
bpplinclude PolicyName -add "Backup_Host=IP_address or hostname"
```

For UNIX:

```
bpplinclude PolicyName -add 'Backup_Host=IP_address or hostname'
```

Note: The backup host must be a Linux computer. The backup host can be a NetBackup client or a media server or a master server.

- 8** Specify the Hadoop directory or folder name that you want to backup.

For Windows:

```
bpplinclude PolicyName -add "/hdfsfoldername"
```

For UNIX:

```
bpplinclude PolicyName -add '/hdfsfoldername'
```

Note: Directory or folder used for backup selection while defining BigData Policy with Application_Type=hadoop must not contain space or comma in their names.

- 9** Modify and update the policy storage type for BigData policy.

```
bpplinfo PolicyName -residence STUName -modify
```

- 10** Specify the IP address or the host name of the NameNode for adding the client details.

For Windows:

```
bpplclients PolicyName -M "MasterServerName" -add  
"HadoopServerNameNode" "Linux" "RedHat"
```

For UNIX:

```
bpplclients PolicyName -M 'MasterServerName' -add  
'HadoopServerNameNode' 'Linux' 'RedHat'
```

- 11 Assign a schedule for the created BigData policy as per your requirements.

```
bpplsched PolicyName -add Schedule_Name -cal 0 -rl 0 -st  
sched_type -window 0 0
```

Here, *sched_type* value can be specified as follows:

Schedule Type	Description
FULL	Full backup
INCR	Differential Incremental backup
CINC	Cumulative Incremental backup

The default value for *sched_type* is **FULL**.

Once you set the schedule, Hadoop data is backed up automatically as per the set schedule without any further user intervention.

- 12 Alternatively, you can also perform a manual backup for Hadoop data.

For performing a manual backup operation, execute all the steps from Step 1 to Step 11.

- 13 For a manual backup operation, navigate to `/usr/opensv/var/global/bin`

Initiate a manual backup operation for an existing BigData policy using the following command:

```
bpbackup -i -p PolicyName -s Schedule_Name -S MasterServerName  
-t 44
```

Here, `-p` refers to policy, `-s` refers to schedule, `-S` refers to master server, and `-t 44` refers to BigData policy type.

Disaster recovery of a Hadoop cluster

For disaster recovery of the Hadoop cluster, perform the following tasks:

Table 3-6 Performing disaster recovery

Task	Description
<p>After the Hadoop cluster and nodes are up, prepare the cluster for operations with NetBackup.</p>	<p>Perform the following tasks:</p> <p>Update firewall settings so that the backup hosts can communicate with the Hadoop cluster.</p> <p>Ensure that webhdfs service is enabled on the Hadoop cluster.</p> <p>See “Preparing the Hadoop cluster” on page 16.</p>
<p>To establish a seamless communication between Hadoop clusters and NetBackup for successful backup and restore operations, you must add and update Hadoop credentials to NetBackup master server.</p>	<p>Use <code>tpconfig</code> command to add Hadoop credentials in NetBackup master server.</p> <p>See “Adding Hadoop credentials in NetBackup” on page 22.</p>
<p>The backup hosts use the <code>hadoop.conf</code> file to save the configuration settings of the Hadoop plug-in. You need to create separate file for each backup host and copy it to <code>/usr/opensv/var/global/</code>. You need to create the <code>hadoop.conf</code> file in JSON format.</p>	<p>With this release, the following plug-in settings can be configured</p> <ul style="list-style-type: none"> ■ See “Configuring NetBackup for a highly-available Hadoop cluster” on page 24. ■ See “Configuring number of threads for backup hosts” on page 28.
<p>Update the BigData policy with the original NameNode name.</p>	<p>See “Configuring NetBackup policies for Hadoop plug-in” on page 35.</p>

Performing backups and restores of Hadoop

This chapter includes the following topics:

- [About backing up a Hadoop cluster](#)
- [About restoring a Hadoop cluster](#)

About backing up a Hadoop cluster

Use the **NetBackup, Backup, Archive, and Restore** console to manage backup operations.

Table 4-1 Backing up Hadoop data

Task	Reference
Process understanding	See “Backing up Hadoop data” on page 9.
(Optional) Complete the pre-requisite for Kerberos	See “Pre-requisite for running backup and restore operations for a Hadoop cluster with Kerberos authentication” on page 43.
Backing up a Hadoop cluster	See “Backing up a Hadoop cluster” on page 44.
Best practices	See “Best practices for backing up a Hadoop cluster” on page 43.

Table 4-1 Backing up Hadoop data (*continued*)

Task	Reference
Troubleshooting tips	<p>For discovery and cleanup related logs, review the following log file on the first backup host that triggered the discovery.</p> <pre>/usr/opensv/var/global/logs/nbaapidiscv</pre> <p>For data transfer related logs, search for corresponding backup host (using the hostname) in the log files on the master server.</p> <p>See “Troubleshooting backup issues for Hadoop data” on page 54.</p>

Pre-requisite for running backup and restore operations for a Hadoop cluster with Kerberos authentication

To run backup and restore operations for a Hadoop cluster that uses Kerberos authentication, Hadoop needs a valid Kerberos ticket granting-ticket (TGT) to authenticate with the Hadoop cluster.

Note: During the backup and restore operations, the TGT must be valid. Thus, specify the TGT validity accordingly or renew it when required during the operation.

Run the following command to generate the TGT:

```
kinit -k -t /keytab_file_location/keytab_filename principal_name
```

For example,

```
kinit -k -t /usr/opensv/var/global/nbusers/hdfs_mykeytabfile.keytab
hdfs@MYCOMPANY.COM
```

Also review the configuration-related information. See [“Configuration for a Hadoop cluster that uses Kerberos”](#) on page 34.

Best practices for backing up a Hadoop cluster

Before backing up a Hadoop cluster, consider the following:

- To backup an entire Hadoop file system provide “/” as the backup selection and ensure that “/” is snapshot enabled.
- Before you execute a backup job, ensure for a successful ping response from the backup hosts to hostname (FQDN) of all the nodes.
- Update the firewall settings so that the backup hosts can communicate with the Hadoop cluster.

- Ensure that the local time on the HDFS nodes and the backup host are synchronized with the NTP server.
- Ensure that you have valid certificates for a Hadoop cluster that is enabled with SSL (HTTPS).


Backing up a Hadoop cluster

You can either schedule a backup job or run a backup job manually. See, [NetBackup Administrator's Guide, Volume I](#)

For overview of the backup process, See “[Backing up Hadoop data](#)” on page 9.

The backup process comprises of the following stages:

1. Pre-processing: In the pre-processing stage, the first backup host that you have configured with the BigData policy, triggers the discovery. At this stage, a snapshot of the complete backup selection is generated. The snapshot details are visible on the NameNode web interface.
2. Data transfer: During the data transfer process, one child job is created for each backup host.



3. Post-processing: As part of the post-processing, NetBackup cleans up the snapshots on NameNode.

About restoring a Hadoop cluster

Use the **NetBackup, Backup, Archive, and Restore** console to manage restore operations.

Table 4-2 Restoring Hadoop data

Task	Reference
Process understanding	See “Restoring Hadoop data” on page 10.
Complete the pre-requisites for Kerberos	See “Pre-requisite for running backup and restore operations for a Hadoop cluster with Kerberos authentication” on page 43.
Restoring Hadoop data on the same NameNode or Hadoop cluster	<ul style="list-style-type: none"> ■ See “Using the Restore Wizard to restore Hadoop data on the same Hadoop cluster” on page 46. ■ See “Using the <code>bprestore</code> command to restore Hadoop data on the same Hadoop cluster” on page 47.
Restoring Hadoop data to an alternate NameNode or Hadoop cluster This task can be performed only using the <code>bprestore</code> command.	See “Restoring Hadoop data on an alternate Hadoop cluster” on page 49.
Best practices	See “Best practices for restoring a Hadoop cluster” on page 45.
Troubleshooting tips	See “Troubleshooting restore issues for Hadoop data” on page 59.

Best practices for restoring a Hadoop cluster

When restoring a Hadoop cluster, consider the following:

- Before you execute a restore job, ensure that there is sufficient space on the cluster to complete the restore job.
- Update firewall settings so that the backup hosts can communicate with the Hadoop cluster.
- Ensure that you have the valid certificates all the cluster nodes for a Hadoop cluster that is enabled with SSL (HTTPS).
- Ensure that you have the valid PEM certificate file on the backup host.
- Ensure that correct parameters are added in the `hadoop.conf` file for HTTP or HTTPS based clusters.

- Ensure that the backup host contains a valid CRL that is not expired.
- Application-level or file system-level encryption is not supported for Hadoop. You must be a Hadoop superuser to ensure that restore works correctly.

Restoring Hadoop data on the same Hadoop cluster

To restore Hadoop data on the same Hadoop cluster, consider following:

- Use the Backup, Archive, and Restore console to initiate Hadoop data restore operations. This interface lets you select the NetBackup server from which the objects are restored and the client whose backup images you want to browse. Based upon these selections, you can browse the backup image history, select individual items and initiate a restore.
- The restore browser is used to display Hadoop directory objects. A hierarchical display is provided where objects can be selected for restore. The objects (Hadoop directory or files) that make up a Hadoop cluster are displayed by expanding an individual directory.
- An administrator can browse for and restore Hadoop directories and individual items. Objects that users can restore include Hadoop files and folders.

Using the Restore Wizard to restore Hadoop data on the same Hadoop cluster

This topic describes how to use the Restore Wizard to restore Hadoop data on the same Hadoop cluster.

To use the Restore Wizard to perform a restore

- 1 Open the **Backup, Archive, and Restore** interface.
- 2 Select the appropriate date range to restore the complete data set.
- 3 In the **Browse** directory, specify the root directory (“/”) as the path to browse.
- 4 From the File menu (Windows) or Actions menu (UNIX), choose **Specify NetBackup Machines and Policy Type**.
- 5 On the **Specify NetBackup Machines and Policy Type** wizard, enter the source and destination details for restore.
 - Specify the Hadoop NameNode as the source for which you want to perform the restore operation.
From the **Source client for restores** list, select the required NameNode.
 - Specify the backup host as the destination client.
From the **Destination client for restores** list, select the required backup host.

- On the **Specify NetBackup Machines and Policy Type** wizard, enter the policy type details for restore.
From the **Policy type for restores** list, choose **BigData** as the policy type for restore.
Click **Ok**.
- 6 Go to the **Backup History** and select the backup images that you want to restore.
 - 7 In the **Directory Structure** pane, expand the **Directory**.
All the subsequent files and folders under the directory are displayed in the **Contents of Selected Directory** pane.
 - 8 In the **Contents of Selected Directory** pane, select the check box for the Hadoop files that you want to restore.
 - 9 Click **Restore**.
 - 10 In the **Restore Marked Files** dialog box, select the destination for restore as per your requirement.
 - Select **Restore everything to its original location** if you want to restore your files to the same location where you performed your backup.
 - Select **Restore everything to a different location** if you want to restore your files to a location which is not the same as your backup location.
 - 11 Click **Start Restore**.
 - 12 Verify the restored files.

Using the `bprestore` command to restore Hadoop data on the same Hadoop cluster

The `bprestore` command lets you restore a backed up or archived file or list of files. You can also name directories to restore. If you include a directory name, `bprestore` restores all files and subdirectories of that directory. You can exclude a file or a directory path that was previously included in the restore by placing an exclamation mark (!) in front of the file or the directory path (does not apply to NDMP restores). For example, the exclude capability is useful if you want to exclude part of a directory from the restore.

To restore Hadoop data on the same location as your backup location

- 1 Log on as an Administrator or root user based on windows or UNIX system respectively.
- 2 Run the following command on the NetBackup master server by providing appropriate values:

```
bprestore -S master_server -D backup_host -C client -t 44 -L  
progress_log -f listfile
```

Where,

```
-S master_server
```

Specifies the name of the NetBackup master server.

```
-D backup_host
```

Specifies the name of the backup host.

```
-C client
```

Specifies a NameNode as a to use for finding backups or archives from which to restore files. This name must be as it appears in the NetBackup catalog.

```
-f listfile
```

Specifies a file (listfile) that contains a list of files to be restored and can be used instead of the file names option. In listfile, list each file path must be on a separate line.

```
-L progress_log
```

Specifies the name of whitelisted file path in which to write progress information.

```
-t 44
```

Specifies BigData as the policy type.

To restore Hadoop data on an alternate location

- 1 Log on as an Administrator.
- 2 Run the following command on the NetBackup master server by providing appropriate values:

```
bprestore -S master_server -D backup_host -C client -t 44 -L progress_log -R rename_file -f listfile
```

Where,

```
-S master_server
```

Specifies the name of the NetBackup master server.

```
-D backup_host
```

Specifies the name of the backup host.

```
-C client
```

Specifies a NameNode as a source to use for finding backups or archives from which to restore files. This name must be as it appears in the NetBackup catalog.

```
-f listfile
```

Specifies a file (listfile) that contains a list of files to be restored and can be used instead of the file names option. In listfile, list each file path must be on a separate line.

```
-L progress_log
```

Specifies the name of whitelisted file path in which to write progress information.

```
-t 44
```

Specifies BigData as the policy type.

```
-R rename_file
```

Specifies the name of a file with name changes for alternate-path restores.

Change the `<source_folder_path>` to `<destination_folder_path>`

Restoring Hadoop data on an alternate Hadoop cluster

NetBackup lets you restore Hadoop data to another NameNode or Hadoop cluster. This type of restore method is also referred to as redirected restores.

Note: NetBackup supports redirected restores only using the Command Line Interface (CLI).

Note: Make sure that you have added the credentials for the alternate NameNode or Hadoop cluster in NetBackup master server and also completed the Whitelisting tasks on NetBackup master server. For more information about how to add Hadoop credentials in NetBackup and whitelisting procedures, See [“Adding Hadoop credentials in NetBackup”](#) on page 22. See [“Whitelisting a NetBackup client on NetBackup master server”](#) on page 21.

To perform redirected restore for Hadoop

- 1 Modify the values for *rename_file* and *listfile* as follows:

Parameter	Value
<i>rename_file</i>	Change /<source_folder_path> to /<destination_folder_path> ALT_APPLICATION_SERVER=<alternate name node>
<i>listfile</i>	List of all the Hadoop files to be restored

- 2 Run the `bprestore -S master_server -D backup_host -C client -R rename_file -t 44 -L progress_log -f listfile` command on the NetBackup master server using the modified values for the mentioned parameters in step 1.

Where,

`-S master_server`

Specifies the name of the NetBackup master server.

`-D backup_host`

Specifies the name of the backup host.

`-C client`

Specifies a NameNode as a source to use for finding backups or archives from which to restore files. This name must be as it appears in the NetBackup catalog.

`-f listfile`

Specifies a file (listfile) that contains a list of files to be restored and can be used instead of the file names option. In listfile, list each file path must be on a separate line.

`-L progress_log`

Specifies the name of whitelisted file path in which to write progress information.

`-t 44`

Specifies BigData as the policy type.

`-R rename_file`

Specifies the name of a file with name changes for alternate-path restores.

Use the following form for entries in the rename file:

```
change backup_filepath to restore_filepath
ALT_APPLICATION_SERVER=<Application Server Name>
```

The file paths must start with / (slash).

Note: Ensure that you have whitelisted all the file paths such as `<rename_file_path>`, `<progress_log_path>` that are already not included as a part of NetBackup install path.

Troubleshooting

This chapter includes the following topics:

- [About troubleshooting NetBackup for Hadoop issues](#)
- [About NetBackup for Hadoop debug logging](#)
- [Troubleshooting backup issues for Hadoop data](#)
- [Troubleshooting restore issues for Hadoop data](#)

About troubleshooting NetBackup for Hadoop issues

Table 5-1 Troubleshooting NetBackup for Hadoop issues

Area	References
General logging and debugging	See “About NetBackup for Hadoop debug logging” on page 54.
Backup issues	See “Troubleshooting backup issues for Hadoop data” on page 54.
Restore issues	See “Troubleshooting restore issues for Hadoop data” on page 59.
To avoid issues also review the best practices	See “Best practices for deploying the Hadoop plug-in” on page 17. See “Best practices for backing up a Hadoop cluster” on page 43. See “Best practices for restoring a Hadoop cluster” on page 45.

About NetBackup for Hadoop debug logging

NetBackup maintains process-specific logs for the various processes that are involved in the backup and restore operations. Examining these logs can help you to find the root cause of an issue.

These log folders must already exist in order for logging to occur. If these folders do not exist, you must create them.

The log folders reside on the following directories

- On Windows: `install_path\NetBackup\logs`
- On UNIX or Linux: `/usr/opensv/var/global/logs`

Table 5-2 NetBackup logs related to Hadoop

Log Folder	Messages related to	Logs reside on
<code>install_path/NetBackup/logs/bpVMutil</code>	Policy configuration	Master server
<code>install_path/NetBackup/logs/nbaapidi.scv</code>	BigData framework, discovery, and Hadoop configuration file logs	Backup host
<code>install_path/NetBackup/logs/bpbrm</code>	Policy validation, backup, and restore operations	Media server
<code>install_path/NetBackup/logs/bpbkar</code>	Backup	Backup host
<code>install_path/NetBackup/logs/tar</code>	Restore and Hadoop configuration file	Backup host

For more details, refer to the [NetBackup Logging Reference Guide](#).

Troubleshooting backup issues for Hadoop data

Review the following topics:

- See [“About NetBackup for Hadoop debug logging”](#) on page 54.
- See [“Backup operation fails with error 6609”](#) on page 55.
- See [“Backup operation failed with error 6618”](#) on page 55.
- See [“Backup operation fails with error 6647”](#) on page 55.

- See [“Extended attributes \(xattrs\) and Access Control Lists \(ACLs\) are not backed up or restored for Hadoop”](#) on page 56.
- See [“Backup operation fails with error 6654”](#) on page 57.
- See [“Backup operation fails with bpbrm error 8857”](#) on page 57.
- See [“Backup operation fails with error 6617”](#) on page 57.
- See [“Backup operation fails with error 6616”](#) on page 57.

Backup operation fails with error 6609

This error is encountered during the following scenarios:

1. The Hadoop plug-in files are deleted or missing from any of the backup hosts (single or multiple).

Workaround:

Download and install the Hadoop plug-in.

2. The `Application_Type` details are incorrect.

Workaround:

Use `hadoop` instead of `Hadoop` while specifying `Application_Type`.

Backup operation failed with error 6618

Backup operation failed with error 6618 wherein the following error is displayed:

```
NetBackup cannot find the file to complete the operation.(6618)
```

This error is encountered if you have provided an invalid directory as backup selection.

Workaround:

Provide a valid directory as backup selection in the BigData policy.

Backup operation fails with error 6647

Backup operation fails with error 6647 wherein the following error is displayed:

```
Unable to create or access a directory or a path. (6647)
```

This error is encountered in one of the following scenarios:

- Directory is not snapshot-enabled.

- Policy is configured to take snapshot of the root folder as backup selection, whereas one of the child folder is already snapshot-enabled.
- Policy is configured to take snapshot of a child folder as backup selection, whereas one of the parent folder is already snapshot-enabled.
- Policy is configured to take snapshot of a file as backup selection

Workaround:

Nested snapshot-enabled directories are not allowed in Hadoop. If the parent directory is already a snapshot-enabled, then any other child directory under the parent directory cannot be enabled for snapshot. For backup selection in Bigdata policy type, only snapshot-enabled directory must be selected for backup and any other child directories must not be selected.

Extended attributes (xattrs) and Access Control Lists (ACLs) are not backed up or restored for Hadoop

Extended attributes allow user applications to associate additional metadata with a file or directory in Hadoop. By default, this is enabled on Hadoop Distributed File System (HDFS).

Access Control Lists provide a way to set different permissions for specific named users or named groups, in addition to the standard permissions. By default, this is disabled on HDFS.

Hadoop plug-ins do not capture extended attributes or Access Control Lists (ACLs) of an object during backup and hence these are not set on the restored files or folders.

Workaround:

If the extended attributes are set on any of the files or directories that is backed up using the BigData policy with `Application_Type = hadoop`, then, you have to explicitly set the extended attributes on the restored data.

Extended attributes can be set using the Hadoop shell commands such as `fs -getfattr` and `hadoop fs -setfattr`.

If the Access Control Lists (ACLs) are enabled and set on any of the files or directories that is backed up using the BigData policy with `Application_Type = hadoop`, then, you have to explicitly set the ACLs on the restored data.

ACLs can be set using the Hadoop shell commands such as `hadoop fs -getfacl` and `hadoop fs -setfacl`.

Backup operation fails with error 6654

This error is encountered during the following scenarios:

- If Hadoop credentials are not added in NetBackup master server
 Workaround:
 Ensure that the Hadoop credentials are added in NetBackup master server. Use the `tpconfig` command. For more information, See [“Adding Hadoop credentials in NetBackup”](#) on page 22.
- If Hadoop plug-in files are not installed on backup host.
 Workaround:
 Ensure that the Hadoop plug-in files are installed on all backup hosts before you begin backup operation.
- If a NetBackup client that is used as a backup host is not whitelisted.
 Workaround:
 Ensure that the NetBackup client that is used as a backup host is whitelisted before you begin backup operation.
 See [“Whitelisting a NetBackup client on NetBackup master server”](#) on page 21.

Backup operation fails with bpbrm error 8857

This error is encountered if you have not whitelisted NetBackup client on NetBackup master server.

Workaround:

You must perform the whitelisting procedure on NetBackup master server if you want to use the NetBackup client as the backup host. For more information, See [“Whitelisting a NetBackup client on NetBackup master server”](#) on page 21.

Backup operation fails with error 6617

Backup operation failed with error 6617 wherein the following error is displayed:

```
A system call failed.
```

Verify that the backup host has valid Ticket Granting Ticket (TGT) in case of Kerberos enabled Hadoop cluster.

Workaround:

Renew the TGT.

Backup operation fails with error 6616

Backup operation fails with error 6616 wherein the following error is logged:

`hadoopOpenConfig: Failed to Create Json Object From Config File.`

Workaround:

Verify the `hadoop.conf` file to ensure that blank values or incorrect syntax is not used with the parameter values.

NetBackup configuration and certificate files do not persist after the container-based NetBackup appliance restarts

The NetBackup configuration files like `hadoop.conf` or `hbase.conf` or SSL certificate and CRL paths do not persist after the container-based NetBackup Appliance restarts for any reason. This issue is applicable where container-based NetBackup Appliance is used as a backup host to protect the Hadoop or HBase workload.

Reason:

In the NetBackup Appliance environments the files that are available in the docker host's persistent location are retained after restart operation. The `hadoop.conf` and `hbase.conf` files are custom configuration files and are not listed in the persistent location.

The configuration files are used for defining values like HA (high availability) nodes during a failover and number of threads for backup. If these files get deleted, backups use the default values for both HA and number of threads that are Primary Name Node and 4 respectively. Backup fails only if the primary node goes down in such a case as plug-in fails to find secondary server.

If the SSL certificates and CRL path files are stored at a location that is not persistent the appliance restart, the backups and restore operations fail.

Workaround:

If custom configuration files for Hadoop and HBase get deleted after a restart, you can manually create the files at the following location:

- **Hadoop:** `/usr/opensv/var/global/hadoop.conf`
- **HBase:** `/usr/opensv/var/global/hbase.conf`

You can store the CA certificate that has signed the Hadoop or HBase SSL certificate and CRL at the following location:

`/usr/opensv/var/global/`

Unable to see incremental backup images during restore even though the images are seen in the backup image selection

This issue occurs when you try to restore incremental backup images and the Backup Selections list in the backup policy has Backup Selection(s) in a subfolder of /.

For example:

```
/data/1
/data/2
```

Workaround

To view the available data that can be restored from an incremental backup image, select the related full backup images along with the incremental backup images.

One of the child backup jobs goes in a queued state

One of the child backup jobs goes in a queued state for a scenario with multiple backup hosts and it keeps waiting for the media server.

Reason:

This issue is seen in the NetBackup Appliance environment where multiple backup hosts are used and the media server goes in an inactive state.

Workaround:

From the **Media and Device Management > Devices > Media servers** menu in NetBackup Administration Console, right-click and **Activate** the media server that has the status as **Deactivated**.

Troubleshooting restore issues for Hadoop data

- See [“Restore fails with error code 2850”](#) on page 60.
- See [“NetBackup restore job for Hadoop completes partially”](#) on page 60.
- See [“Extended attributes \(xattrs\) and Access Control Lists \(ACLs\) are not backed up or restored for Hadoop”](#) on page 56.
- See [“Restore operation fails when Hadoop plug-in files are missing on the backup host”](#) on page 60.
- See [“Restore fails with bpbrm error 54932”](#) on page 61.
- See [“Restore operation fails with bpbrm error 21296”](#) on page 61.

Restore fails with error code 2850

This error is encountered in the following scenarios:

- **Error:2850 "errno = 62 - Timer expired"**
 Workaround:
 Update firewall settings so that the backup hosts can communicate with the Hadoop cluster.
- Requested files are not recovered.
 Workaround:
 Verify that the backup host has valid Ticket Granting Ticket (TGT) in case of Kerberos enabled Hadoop cluster.
 Renew the TGT.
- Incorrect values and invalid credentials for the application server.
 Workaround:
 Ensure that you have correctly entered hostname of destination Hadoop cluster during restore. This should be same as provided in `tpconfig` command.

NetBackup restore job for Hadoop completes partially

A restore job completes partially if the restore data is more than the space available on the Hadoop cluster.

Workaround:

Clean up space on the Hadoop cluster.

Extended attributes (xattrs) and Access Control Lists (ACLs) are not backed up or restored for Hadoop

For more information about this issue, See [“Extended attributes \(xattrs\) and Access Control Lists \(ACLs\) are not backed up or restored for Hadoop”](#) on page 56.

Restore operation fails when Hadoop plug-in files are missing on the backup host

When a restore job is triggered on a backup host which does not have Hadoop plug-in files installed, the restore operation fails with the following error:

```
client restore EXIT STATUS 50: client process aborted
```

Workaround: Download and install the Hadoop plug-in.

Restore fails with bpbrm error 54932

This error is encountered if the files that you want to restore are not backed up successfully.

Workaround:

Before you begin the restore operation, make sure that the backup is completed successfully.

Alternatively, on **Activity Monitor** menu, click **Job Status** tab to locate the specific Job ID and review the error message details.

Restore operation fails with bpbrm error 21296

This error is encountered if you have provided incorrect values for `<application_server_name>` while adding Hadoop credentials to NetBackup master server.

Workaround:

Verify if the details provided for `<application_server_name>` are correct.

Configuration file is not recovered after a disaster recovery

When you use NetBackup master server as a backup host for high availability with a Hadoop cluster or a Hadoop cluster that is SSL-enabled (HTTPS) and run a full catalog recovery, the `hadoop.conf` configuration file is not recovered.

Create the configuration file manually. Use the following format for the configuration file:

```
{
  "application_servers":
  {
    "primary.host.com":
    {
      "use_ssl":true
      "failover_namenodes":
      [
        {
          "hostname":"secondary.host.com",
          "use_ssl":true
          "port":11111
        }
      ],
      "port":11111
    }
  }
}
```

```
    }  
  },  
  "number_of_threads":5  
}
```

Index

A

- Adding
 - backup host 19

B

- Backup 44
 - Hadoop 42
- backup 9
- BigData policy
 - Command Line Interface 38
 - NetBackup Administration Console 36
 - Policies utility 37
 - Policy Configuration Wizard 36

C

- compatibility
 - supported operating system 16
- Creating
 - BigData backup policy 35

D

- disaster recovery 40

H

- Hadoop credentials
 - adding 22

K

- Kerberos
 - post installation 34
- kerberos
 - backup 43
 - restore 43

L

- License
 - Hadoop 16
- Limitations 13

N

- NetBackup
 - debug logging 54
 - server and client requirements 16
- NetBackup Appliance
 - backup host 22

O

- overview
 - backup 7
 - configuration 7
 - deployment 7
 - installation 7
 - restore 7

P

- parallel streaming framework 7
- policies
 - configuring 35
- Preparing
 - Hadoop 16

R

- Removing
 - backup host 19
- Restore
 - bprestore command 47
 - Hadoop 44
- restore 10
- Restoring
 - alternate NameNode 49
 - Hadoop cluster 46

T

- terms 11
- Troubleshoot
 - backup 54
- troubleshooting
 - restore 60

W

Whitelisting

 backuphost 21